

*gallons for cleaning and other similar purposes, such cans or other containers shall bear a label with the words "unsafe when exposed to heat or fire."*

COMPLIANCE WITH THE PROVISIONS OF THE FEDERAL HAZARDOUS SUBSTANCES LABELING ACT SHALL CONSTITUTE COMPLIANCE WITH THIS SECTION.

*157H. Approval by Comptroller of the Treasury.*

*All materials, fluids or substances offered or exposed for sale, purporting to be substitutes for or improvers of gasoline or special fuels to be used for power or heating purposes, shall before being sold or exposed or offered for sale, be submitted to the Comptroller of the Treasury for examination and inspection and shall receive the approval of the Comptroller of the Treasury and shall be sold or offered for sale only when properly labeled with a label, the form and contents of which shall have been approved by the Comptroller of the Treasury.*

*157-I. Meter, Pumps, Tanks; Inaccurate measurements. CERTIFICATION OF COMPTROLLER.*

THE COMPTROLLER SHALL BY REQUEST OF ANY RETAIL SERVICE STATION DEALER PROVIDE AN ANNUAL CERTIFICATION THAT ALL OF THE GALLONS OF GASOLINE AND SPECIAL FUELS PURCHASED FROM THE SUPPLIER HAVE BEEN FULLY REPORTED AND TAX PAID TO THE COMPTROLLER.

*(a) It shall be the duty of the Comptroller of the Treasury to carefully inspect all pumps and meters through which gasoline and special fuel products are marketed in the State. All such pumps found to be giving accurate gallonage measurement and recording accurate gallonage on the accumulating meters within the tolerance established by regulations of the Comptroller of the Treasury shall have the adjusting devices sealed with an official lead and wire seal applied by an inspector duly authorized by the Comptroller of the Treasury in such a manner that the adjustment cannot be altered without breaking the seal. If any pump shall be found to be giving inaccurate measures in excess of the tolerance established by regulations of the Comptroller of the Treasury, the inspector shall then and there notify the operator of the pump whether owner or lessee, to make the necessary adjustments, the inspector to lend his assistance with the standard measure provided for testing such pumps; after the adjustments shall have been made, the adjusting devices shall be sealed in the manner provided for those pumps found originally accurate.*

*In the event a pump or meter cannot be adjusted the inspector shall so notify the owner or lessee and shall render the pump or meter inoperative and post a notice on the pump or meter that it is out of order and may not be used by order of the Comptroller of the Treasury. Such notice shall bear the signature of the inspector and date. It shall be unlawful for anyone to use a posted pump or meter except to repair or make proper adjustment thereto. The inspector upon proper notification will re-test posted pump or meter and when found to be giving accurate measurement and recording totals reseal the pump and remove the posted notice.*