

regulations as may be necessary for the construction and maintenance of said work, and said commission shall, from time to time, and as rapidly as said sewerage system may be available, require existing buildings, and those hereinafter constructed, to be connected with said system.

"The said commission shall award all contracts to the lowest responsible bidders, which may be made in the construction and maintenance of said sewerage system.

"The Mayor and City Council of Baltimore shall furnish said commission with necessary rooms and furniture.

"Vacancies in said commission shall be filled by said commission except where a vacancy occurs by death, resignation or removal of one or both of those appointed by the Mayor, subject to the confirmation of the Second Branch of the City Council, as hereinbefore provided, in which event such vacancies are to be filled in the same manner as the original appointees were made; and the members of said commission shall be municipal officers, and subject to removal by the Mayor, as provided in the Act of 1898, chapter 123.

"Said commission shall not, under any circumstances, permit the crude sewerage from the city of Baltimore to empty in the Chesapeake bay or its tributaries, nor shall any of the affluent or resultant of said sewerage be permitted to empty into said bay or its tributaries until the same has been subjected to analysis by three expert chemists of well recognized repute, to be chosen by the State Board of Public Works, and said affluent or resultant by said chemists pronounced to be free from all impurities, which would be injurious to the oyster or fish industries of this State. The said State Board of Public Works shall publish the findings of said chemists immediately after the same have been submitted to it, by three insertions in all of the daily papers published in Baltimore city, over the signatures of said chemists, attested by their affidavits, subsequent examinations shall, from time to time, be made when, in the judgment of said Board of Public Works the same shall be deemed necessary, and when any subsequent examination is made, it shall be in all respects the same as that hereinbefore provided for; and if, as a